NOTICE

* Please make sure that you have all parts indicated and they are in good condition before you begin assembly on this item. Refer to part list and hardware list below for guidance.
* This item should be assembled on a soft surface to prevent scratching the finish during assembly.
* This item may require periodic tightening.
* If you are having difficulty, our friendly Customer Care team is always here to help. Please email **customersupport@safavieh.com**

PREPARATION


* Before beginning assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.
* If any part is missing or damaged, do not attempt to assemble the product.
* Estimated Assembly Time: 10 minutes.
* Tools Required: Allen Key (included), Hammer (not included).

CARE AND MAINTENANCE

Adhesive felt pads should always be applied to areas of furniture which make direct contact with flooring, said application will prevent damage to the furniture and or surfaces on which the furniture lies. Object placed on articles of furniture should rest on non abrasive material as to prevent damage to the wood finish. Objects whose composition consists of plastic and rubber are known to discolor and damage the wood surfaces on which they rest. Wipe up spills immediately and avoid common hazards such as hot dishes, harsh solvents and abrasives. Cleaning should be done with a soft lint free cotton cloth dampened with water of furniture polish. On highly used surfaces we recommend applying a quality paste wax which should be used on a regular basis to provide additional protection from scratches and spills. How often you apply the wax depends on how much wear the furniture receives.

SAFAVIEH FURNITURE




ITEM : DTB2702
DIMENSION : W35.4 x L59.1 x H30.3




⚠ WARNING ⚠

Weight Capacity- 275 LBS
Warning: Do not stand on TABLE
Warning: Do not over torque Bolts


Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	
A	TABLE TOP		1x
B	TABLE LEG		2x
C	LEG SUPPORT		2x
D	TABLE SUPPORT		2x
E	TABLE STRETCHER		1x
F	STRETCHER SUPPORT		2x
HW1	M6 X 30MM JCBC		18x
HW2	M6 X 45MM JCBC		2x
HW3	M6 X 60MM JCBC		12x
HW4	SPRING WASHER M6 X 12MM		32x

PIECE	DESCRIPTION	PICTURE	
HW5	FLAT WASHER M6 X 19MM		26x
HW6	WOOD DOWEL M10 X 30MM		4x
HW7	ALLEN KEY		1x
HW8	PVC NAIL		4x
HAMMER			NOT INCLUDED


PREPARATION

* Before beginning assembly of product, make sure all parts are present. Compare parts with contents list and hardware contents list.
* If any part is missing or damaged, do not attempt to assemble the product.
* Estimated Assembly Time: 10 minutes.
* Tools Required: Allen Key (included), Hammer (not included).
* If you are having difficulty, our friendly Customer Care team is always here to help. Please email **customersupport@safavieh.com**




STEP 1: Attach Table Support to Table Leg

- Position the table support **(D)** onto the table leg **(B)** so the holes align.
- Insert M6 × 30mm bolts **(HW1)** with Spring Washer **(HW4)** first, then Flat Washer **(HW5)**.
- **Loosely** tighten the bolts using the Allen Key **(HW7)**. Refer to the diagram for correct placement.




STEP 2: Attach Leg Support to Table Leg

- Position the leg support **(C)** onto the table leg **(B)** so the holes align.
- Insert M6 × 60mm bolts **(HW3)** with Spring Washer **(HW4)** first, then Flat Washer **(HW5)**.
- Tighten the bolts **loosely** using the Allen Key **(HW7)**. Check the diagram to ensure correct placement.




STEP 3: Attach Table Stretcher to Leg Support


- Insert the wood dowel **(HW6)** into the table stretcher **(E)** using a hammer (not included).
- Position the table stretcher **(E)** against the leg support **(C)** so the holes align.
- Insert M6 × 60mm bolts **(HW3)** with Spring Washer **(HW4)** through the aligned holes.
- Tighten bolts **loosely**. Refer to the diagram for correct placement.



STEP 4: Attach Table Stretcher and Stretcher Support

- Insert the wood dowel **(HW6)** into the stretcher support **(F)** using a hammer (not provided).
- Position the stretcher support **(F)** against the table stretcher **(E)** and table legs **(B)** so the holes align. Insert M6 × 45mm bolts **(HW2)** with Spring Washer **(HW4)** first, then Flat Washer **(HW5)** to secure the stretcher support to the table stretcher.
- Insert M6 × 60mm bolts **(HW3)** with Spring Washer **(HW4)** to secure the stretcher support **(F)** to the table legs **(B).** Tighten all bolts **loosely**.





STEP 5: Attach Table Support and Table Top

5.1 Attach Table Support:

- Position the table support **(D)** under the table top **(A)** so the holes align.
- Insert M6 × 30mm bolts **(HW1)** with Spring Washer **(HW4)** first, then Flat Washer **(HW5)** through the aligned holes to secure the support to the table top.
- Fully tighten all bolts using the Allen Key **(HW7)**. Refer to the diagram to ensure correct placement.

5.2 PVC Nail:

- Insert **(HW8)** into the leg support **(C)** using a hammer (not provided).

STEP 6: Final Adjustment and Tightening

- Place the table upright on a flat surface. Ensure all legs are **level** and properly aligned.
- While the table is stable, check that all parts are correctly aligned, then use the Allen Key **(HW7)** to fully tighten all the bolts used.