






















## CARE AND MAINTENANCE


Store outdoor furniture indoors or cover well when not in use.  
Remove wicker furniture from standing water. Dust regularly with small brush or vacuum  
Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

## NOTICE

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* This item may require periodic tightening

## Part List and Hardware List

| PIECE | DESCRIPTION            | PICTURE   | QUANTITY |
|-------|------------------------|---|----------|
| 12    | Bench Seat Cushion     |    | 1X       |
| 13    | Bench Back Cushion     |    | 2X       |
| 14    | Pillow                 |    | 1X       |
| 16    | Bench Left Frame       |    | 1X       |
| 17    | Bench Left Back Frame  |    | 1X       |
| 18    | Bench Left Seat Frame  |    | 1X       |
| 19    | Bench Left Front Frame |    | 1X       |
| 5     | Bench Side Frame       |    | 1X       |
| 21    | Corner Top Frame       |    | 1X       |
| 22    | Corner Bottom Frame    |   | 1X       |
| 23    | Corner Front Frame     |  | 1X       |
| 24    | Corner Back Frame      |  | 1X       |
| 25    | Corner Right Frame     |  | 1X       |
| 26    | Corner Left Frame      |  | 1X       |
| 27    | Rain cover             |  | 1X       |
| A     | Allen bolt(M6x15 mm)   |  | 4X       |
| B     | Allen bolt(M6x30 mm)   |  | 25X      |
| C     | Allen bolt(M6x40 mm)   |  | 6X       |
| D     | Allen bolt(M6x110 mm)  |  | 1X       |
| E     | Flat washer            |  | 36X      |
| F     | Allen key              |  | 2X       |

| PIECE | DESCRIPTION | PICTURE   | QUANTITY |
|-------|-------------|---|----------|
| G     | Piston      |  | 2X       |

# SAFAVIEH

## OUTDOOR

**Weight Capacity : 275 Lbs (single seat)**  
**550 Lbs (towperson seat)**

**Warning : Do not stand on bench**

**Warning : Do not over torque bolts/screws**




Model# PAT7513 - 2/2

Product Dimensions:

31.50"x57.87"x25.98"H ( Bench)

29.13"x29.13"x25.20"H ( Corner)

22.83"x22.83"x16.54"H ( Table)



## CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use.  
Remove wicker furniture from standing water. Dust regularly with small brush or vacuum  
Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

## NOTICE

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* This item may require periodic tightening

 **SAFAVIEH**  
OUTDOOR














**Weight Capacity : 275 Lbs (single seat)**  
**550 Lbs (towperson seat)**


**Warning : Do not stand on bench**

**Warning : Do not over torque bolts/screws**



## Part List and Hardware List

| PIECE | DESCRIPTION            | PICTURE   | QUANTITY |
|-------|------------------------|---|----------|
| 16    | Bench Left Frame       |    | 1X       |
| 17    | Bench Left Back Frame  |    | 1X       |
| 18    | Bench Left Seat Frame  |    | 1X       |
| 19    | Bench Left Front Frame |    | 1X       |
| 5     | Bench Side Frame       |    | 1X       |
| 12    | Bench Seat Cushion     |    | 1X       |
| 13    | Bench Back Cushion     |    | 2X       |
| 14    | Pillow                 |    | 1X       |
| B     | Allen bolt(M6x30 mm)   |   | 9X       |
| C     | Allen bolt(M6x40 mm)   |  | 6X       |
| D     | Allen bolt(M6x110 mm)  |  | 1X       |
| E     | Flat washer            |  | 16X      |
| F     | Allen key              |  | 1X       |




**PREPARATION**


Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.  
If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 15 minutes.


Tools Required for Assembly (included): Allen Key




Step 1  
Connect Bench Left Back Frame (17) & Bench Left Frame (16) & tighten Bolt (B), Bolt (D) with Allen key (F)




Step 2  
Connect part from Step 1 & Bench Left Seat Frame (18) tighten Bolt (C) with Allen key (F)



Step 3  
Connect part from Step 2 & Bench Side Frame (5) tighten Bolt (B) with Allen key (F)



Step 4  
Connect part from Step 3 & Bench Right Front Frame (4) tighten Bolt (B) with Allen key (F)



Step 5

Put on Bench Seat Cushion (12), Bench Back Cushion (13) & Pillow (14) to complete Bench






















## CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use.  
Remove wicker furniture from standing water. Dust regularly with small brush or vacuum  
Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

## NOTICE

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* This item may require periodic tightening

## Part List and Hardware List

| PIECE | DESCRIPTION             | PICTURE   | QUANTITY |
|-------|-------------------------|---|----------|
| 1     | Bench Right Frame       |    | 1X       |
| 2     | Bench Right Back Frame  |    | 1X       |
| 3     | Bench Right Seat Frame  |    | 1X       |
| 4     | Bench Right Front Frame |    | 1X       |
| 5     | Bench Side Frame        |    | 1X       |
| 6     | Table Top Frame         |    | 1X       |
| 7     | Table Bottom Frame      |    | 1X       |
| 8     | Door Table              |    | 1X       |
| 9     | Table Back Frame        |    | 1X       |
| 10    | Table Right Frame       |   | 1X       |
| 11    | Table Left Frame        |  | 1X       |
| 12    | Bench Seat Cushion      |  | 1X       |
| 13    | Bench Back Cushion      |  | 2X       |
| 14    | Pillow                  |  | 1X       |
| 15    | Table Glass             |  | 1X       |
| A     | Allen bolt(M6x15 mm)    |  | 4X       |
| B     | Allen bolt(M6x30 mm)    |  | 25X      |
| C     | Allen bolt(M6x40 mm)    |  | 6X       |
| D     | Allen bolt(M6x110 mm)   |  | 1X       |
| E     | Flat washer             |  | 36X      |
| F     | Allen key               |  | 2X       |

 **SAFAVIEH**  
OUTDOOR

**Weight Capacity : 275 Lbs (single seat)  
550 Lbs (towperson seat)**

**Warning : Do not stand on bench**

**Warning : Do not over torque bolts/screws**




Model# PAT7513 - 1/2

Product Dimensions:

31.50"x57.87"x25.98"H ( Bench)

29.13"x29.13"x25.20"H ( Corner)

22.83"x22.83"x16.54"H ( Table)



## CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use.  
Remove wicker furniture from standing water. Dust regularly with small brush or vacuum  
Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

## NOTICE

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* This item may require periodic tightening

 **SAFAVIEH**  
OUTDOOR








**Weight Capacity : 275 Lbs (single seat)  
550 Lbs (towperson seat)**


**Warning : Do not stand on bench**

**Warning : Do not over torque bolts/screws**



## Part List and Hardware List

| PIECE | DESCRIPTION             | PICTURE   | QUANTITY |
|-------|-------------------------|---|----------|
| 1     | Bench Right Frame       |    | 1X       |
| 2     | Bench Right Back Frame  |    | 1X       |
| 3     | Bench Right Seat Frame  |    | 1X       |
| 4     | Bench Right Front Frame |    | 1X       |
| 5     | Bench Side Frame        |    | 1X       |
| 12    | Bench Seat Cushion      |    | 1X       |
| 13    | Bench Back Cushion      |    | 2X       |
| 14    | Pillow                  |    | 1X       |
| B     | Allen bolt(M6x30 mm)    |   | 9X       |
| C     | Allen bolt(M6x40 mm)    |  | 6X       |
| D     | Allen bolt(M6x110 mm)   |  | 1X       |
| E     | Flat washer             |  | 16X      |
| F     | Allen key               |  | 1X       |



## PREPARATION


Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.

If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 15 minutes.

Tools Required for Assembly (included): Allen Key


1



Step 1

Connect Bench Right Back Frame (2) & Bench Right Frame (1) & tighten Bolt (B), Bolt (D) with Allen key (F)


2



Step 2

Connect part from Step 1 & Bench Right Seat Frame (3) tighten Bolt (C) with Allen key (F)


3



Step 3


Connect part from Step 2 & Bench Side Frame (5) tighten Bolt (B) with Allen key (F)

4 x2



Step 4

Connect part from Step 3 & Bench Right Front Frame (4) tighten Bolt (B) with Allen key (F)



Step 5  
Put on Bench Seat Cushion (12), Bench Back Cushion (13) & Pillow (14) to complete Bench
























## CARE AND MAINTENANCE


Store outdoor furniture indoors or cover well when not in use.  
Remove wicker furniture from standing water. Dust regularly with small brush or vacuum  
Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

## NOTICE

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* This item may require periodic tightening

## Part List and Hardware List

| PIECE | DESCRIPTION            | PICTURE   | QUANTITY |
|-------|------------------------|---|----------|
| 12    | Bench Seat Cushion     |    | 1X       |
| 13    | Bench Back Cushion     |    | 2X       |
| 14    | Pillow                 |    | 1X       |
| 16    | Bench Left Frame       |    | 1X       |
| 17    | Bench Left Back Frame  |    | 1X       |
| 18    | Bench Left Seat Frame  |    | 1X       |
| 19    | Bench Left Front Frame |    | 1X       |
| 5     | Bench Side Frame       |    | 1X       |
| 21    | Corner Top Frame       |    | 1X       |
| 22    | Corner Bottom Frame    |   | 1X       |
| 23    | Corner Front Frame     |  | 1X       |
| 24    | Corner Back Frame      |  | 1X       |
| 25    | Corner Right Frame     |  | 1X       |
| 26    | Corner Left Frame      |  | 1X       |
| 27    | Rain cover             |  | 1X       |
| A     | Allen bolt(M6x15 mm)   |  | 4X       |
| B     | Allen bolt(M6x30 mm)   |  | 25X      |
| C     | Allen bolt(M6x40 mm)   |  | 6X       |
| D     | Allen bolt(M6x110 mm)  |  | 1X       |
| E     | Flat washer            |  | 36X      |
| F     | Allen key              |  | 2X       |

| PIECE | DESCRIPTION | PICTURE   | QUANTITY |
|-------|-------------|---|----------|
| G     | Piston      |  | 2X       |

 **SAFAVIEH**  
O U T D O O R

**Weight Capacity : 275 Lbs (single seat)**  
**550 Lbs (towperson seat)**

**Warning : Do not stand on Corner**

**Warning : Do not over torque bolts/screws**




Model# PAT7513 - 2/2

Product Dimensions:

31.50"x57.87"x25.98"H ( Bench)

29.13"x29.13"x25.20"H ( Corner)

22.83"x22.83"x16.54"H ( Table)















## CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use.  
Remove wicker furniture from standing water. Dust regularly with small brush or vacuum  
Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

## NOTICE

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* This item may require periodic tightening

## Part List and Hardware List


| PIECE | DESCRIPTION          | PICTURE   | QUANTITY |
|-------|----------------------|---|----------|
| 21    | Corner Top Frame     |    | 1X       |
| 22    | Corner Bottom Frame  |    | 1X       |
| 23    | Corner Front Frame   |    | 1X       |
| 24    | Corner Back Frame    |    | 1X       |
| 25    | Corner Right Frame   |    | 1X       |
| 26    | Corner Left Frame    |    | 1X       |
| 27    | Rain cover           |    | 1X       |
| A     | Allen bolt(M6x15 mm) |    | 4X       |
| B     | Allen bolt(M6x30 mm) |    | 16X      |
| E     | Flat washer          |   | 20X      |
| F     | Allen key            |  | 1X       |
| G     | Piston               |  | 2X       |


 **SAFAVIEH**  
OUTDOOR

**Weight Capacity : 275 Lbs (single seat)**  
**550 Lbs (towperson seat)**


**Warning : Do not stand on Corner**

**Warning : Do not over torque bolts/screws**






Step 1  
Connect Corner Right Frame (25) & Corner Front Frame (23),  
Corner Back Frame (24) & tighten Bolt (B) with Allen key (F)




Step 2  
Connect part from Step 1 & Corner Bottom Frame (22) tighten Bolt (B)  
with Allen key (F)




Step 3  
Connect part from Step 2 & Corner Left Frame (26) tighten Bolt (B) with Allen key (F)

4




Step 4  
Connect part from Step 3 & Corner Top Frame (21) tighten Bolt (A)  
with Allen key (F)

5



Step 5  
Put on Rain cover (27) to complete Corner



### Step 6

Connect Corner Right Frame (25) & Corner Left Frame (26), Corner Top Frame (21) with Piston G